

Gas Accumulation Monitoring

January 2022

EPA License No: 13366

Monitoring Point 10

Sampling Frequency: Every 6 months

Sample ID	Date sampled	Street	Access (Y/N)	Methane (% v/v)
5	4/2-4	Carrington Street	Y	0
6	5/2-4	Carrington Street	Y	0
7	6/2-4	Carrington Street	Y	0
11	11/2-4	Carrington Street	Y	0
12	12/2-4	Carrington Street	Y	0
17	17	Belmore Street	Y	0
28	18	Railway Parade	Y	0
29	20	Railway Parade	Y	0
31	1/24	Railway Parade	Y	0
34	4/24	Railway Parade	Y	0.3
35	34	Railway Parade	Y	0
36	36	Railway Parade	Y	0
38	40	Railway Parade	Y	0
39	1-3	Alcorn Street	Y	0
42	6B	Alcorn Street	Y	0
43	1/8	Alcorn Street	Y	0
54	6	Loftus Street	Y	0
63	4/12	Loftus Street	Y	0
65	6/12	Loftus Street	Y	0
66	13	Loftus Street	Y	0.2-0.3
73	25	Loftus Street	Y	0
74	1/20	Loftus Street	Y	0
75	2/20	Loftus Street	Y	0
76	3/20	Loftus Street	Y	0
86	13/20	Loftus Street	Y	0
88	15/20	Loftus Street	Y	0
90	17/20	Loftus Street	Y	0
91	18/20	Loftus Street	Y	0
94	21/20	Loftus Street	Y	0
96	27-29	Loftus Street	Y	0
114	6-7	Kiama Street	Y	0
116	2/8	Kiama Street	Y	0
119	5/8	Kiama Street	Y	0
120	6/8	Kiama Street	Y	0
122	8/8	Kiama Street	Y	0
123	9/8	Kiama Street	Y	0
129	Austral Bricks	Kiama Street	Y	0

