

Gas Accumulation Monitoring

June 2021

EPA Licence No: 13366

Monitoring Point 10

Sampling Frequency: Every 6 months

| Sample ID | Date sampled | Street | Access (Y/N) | Methane (% v/v) |
|-----------|--------------|-------------------|--------------|-----------------|
| 5 | 22/06/2021 | Alcorn Street | Y | 0 |
| 7 | 22/06/2021 | Alcorn Street | Y | 0 |
| 9 | 22/06/2021 | Alcorn Street | Y | 0 |
| 10 | 22/06/2021 | Loftus Street | Y | 0 |
| 11 | 22/06/2021 | Loftus Street | Y | 0 |
| 13 | 22/06/2021 | Loftus Street | Y | 0 |
| 14 | 22/06/2021 | Loftus Street | Y | 0 |
| 23 | 22/06/2021 | Loftus Street | Y | 0 |
| 24 | 22/06/2021 | Loftus Street | Y | 0 |
| 27 | 22/06/2021 | Loftus Street | Y | 0 |
| 29 | 22/06/2021 | Loftus Street | Y | 0 |
| 34 | 22/06/2021 | Loftus Street | Y | 0 |
| 38 | 22/06/2021 | Alcorn Street | Y | 0 |
| 40 | 22/06/2021 | Railway Parade | Y | 0.1 |
| 42 | 22/06/2021 | Railway Parade | Y | 0 |
| 43 | 22/06/2021 | Railway Parade | Y | 0 |
| 46 | 22/06/2021 | Railway Parade | Y | 0 |
| 48 | 22/06/2021 | Railway Parade | Y | 0 |
| 50 | 22/06/2021 | Railway Parade | Y | 0 |
| 52 | 22/06/2021 | Railway Parade | Y | 0 |
| 56 | 22/06/2021 | Carrington Street | Y | 0 |
| 58 | 22/06/2021 | Carrington Street | Y | 0 |
| 59 | 22/06/2021 | Carrington Street | Y | 0 |
| 62 | 22/06/2021 | Carrington Street | Y | 0 |
| 64 | 22/06/2021 | Carrington Street | Y | 0 |
| 75 | 22/06/2021 | Railway Parade | Y | 0 |
| 77 | 22/06/2021 | Loftus Street | Y | 0 |
| 78 | 22/06/2021 | Kiama Street | Y | 0 |
| 79 | 22/06/2021 | Kiama Street | Y | 0 |
| 80 | 22/06/2021 | Kiama Street | Y | 0 |
| 82 | 22/06/2021 | Kiama Street | Y | 0 |

January 2021
EPA Licence No: 13366
Monitoring Point 10
Sampling Frequency: Every 6 months

| Sample ID | Date sampled | Street | Access (Y/N) | Methane (% v/v) |
|-----------|--------------|-------------------|--------------|-----------------|
| 3 | 21/01/2021 | Alcorn Street | Y | 0 |
| 5 | 21/01/2021 | Alcorn Street | Y | 0 |
| 6 | 21/01/2021 | Alcorn Street | Y | 0 |
| 8 | 21/01/2021 | Loftus Street | Y | 0 |
| 9 | 21/01/2021 | Loftus Street | Y | 0 |
| 14 | 21/01/2021 | Loftus Street | Y | 0 |
| 23 | 21/01/2021 | Loftus Street | Y | 0 |
| 24 | 21/01/2021 | Loftus Street | Y | 0 |
| 25 | 21/01/2021 | Loftus Street | Y | 0 |
| 32 | 21/01/2021 | Loftus Street | Y | 0 |
| 34 | 21/01/2021 | Loftus Street | Y | 0 |
| 37 | 21/01/2021 | Loftus Street | Y | 0 |
| 39 | 21/01/2021 | Alcorn Street | Y | 0 |
| 41 | 21/01/2021 | Railway Parade | Y | 0 |
| 42 | 21/01/2021 | Railway Parade | Y | 0 |
| 43 | 21/01/2021 | Railway Parade | Y | 0 |
| 44 | 21/01/2021 | Railway Parade | Y | 0 |
| 46 | 21/01/2021 | Railway Parade | Y | 0 |
| 48 | 21/01/2021 | Railway Parade | Y | 0 |
| 50 | 21/01/2021 | Railway Parade | Y | 0 |
| 51 | 21/01/2021 | Railway Parade | Y | 0 |
| 52 | 21/01/2021 | Railway Parade | Y | 0 |
| 54 | 21/01/2021 | Carrington Street | Y | 0 |
| 58 | 21/01/2021 | Carrington Street | Y | 0 |
| 63 | 21/01/2021 | Carrington Street | Y | 0 |
| 65 | 21/01/2021 | Carrington Street | Y | 0 |
| 68 | 21/01/2021 | Kiama Street | Y | 0 |
| 71 | 21/01/2021 | Kiama Street | Y | 0 |
| 73 | 21/01/2021 | Kiama Street | Y | 0 |

July 2020

EPA Licence No: 13366

Monitoring Point 10

Sampling Frequency: Every 6 months

| Sample ID ¹ | Date sampled | Street | Access (Y/N) | Methane (v/v) |
|------------------------|--------------|-------------------|--------------|---------------|
| 1 | 9/07/2020 | Loftus Street | Y | 0 |
| 2 | 9/07/2020 | Loftus Street | Y | 0 |
| 3 | 9/07/2020 | Alcorn Street | Y | 0 |
| 4 | 9/07/2020 | Alcorn Street | Y | 0 |
| 7 | 9/07/2020 | Loftus Street | Y | 0 |
| 8 | 9/07/2020 | Loftus Street | Y | 0 |
| 10 | 9/07/2020 | Loftus Street | Y | 0 |
| 12 | 9/07/2020 | Loftus Street | Y | 0 |
| 13 | 9/07/2020 | Loftus Street | Y | 0 |
| 14 | 9/07/2020 | Loftus Street | Y | 0 |
| 23 | 9/07/2020 | Loftus Street | Y | 0 |
| 24 | 9/07/2020 | Loftus Street | Y | 0 |
| 25 | 9/07/2020 | Loftus Street | Y | 0 |
| 28 | 9/07/2020 | Loftus Street | Y | 0 |
| 34 | 9/07/2020 | Loftus Street | Y | 0 |
| 37 | 9/07/2020 | Loftus Street | Y | 0 |
| 38 | 9/07/2020 | Railway Parade | Y | 0 |
| 41 | 9/07/2020 | Railway Parade | Y | 0 |
| 42 | 9/07/2020 | Railway Parade | Y | 0 |
| 43 | 9/07/2020 | Railway Parade | Y | 0 |
| 44 | 9/07/2020 | Railway Parade | Y | 0 |
| 45 | 9/07/2020 | Railway Parade | Y | 0 |
| 48 | 9/07/2020 | Railway Parade | Y | 0 |
| 50 | 9/07/2020 | Railway Parade | Y | 0 |
| 52 | 9/07/2020 | Railway Parade | Y | 0 |
| 54 | 9/07/2020 | Carrington Street | Y | 0 |
| 55 | 9/07/2020 | Carrington Street | Y | 0 |
| 57 | 9/07/2020 | Carrington Street | Y | 0 |
| 58 | 9/07/2020 | Carrington Street | Y | 0 |
| 62 | 9/07/2020 | Carrington Street | Y | 0 |
| 64 | 9/07/2020 | Carrington Street | Y | 0 |
| 69 | 9/07/2020 | Kiama Street | Y | 0 |
| 71 | 9/07/2020 | Kiama Street | Y | 0 |
| 72 | 9/07/2020 | Kiama Street | Y | 0 |
| 73 | 9/07/2020 | Kiama Street | Y | 0 |
| 74 | 9/07/2020 | Kiama Street | Y | 0 |
| 76 | 9/07/2020 | Kiama Street | Y | 0 |

January 2020
EPA Licence No: 13366
Monitoring Point 10
Sampling Frequency: Every 6 months

| Sample ID ⁱ | Date sampled | Street | Access (Y/N) | Methane (% v/v) |
|------------------------|--------------|-------------------|--------------|-----------------|
| 1 | 28/01/2020 | Carrington Street | Y | 0.1 |
| 2 | 28/01/2020 | Carrington Street | Y | 0 |
| 4 | 28/01/2020 | Carrington Street | Y | 0 |
| 5 | 28/01/2020 | Carrington Street | Y | 0 |
| 6 | 28/01/2020 | Carrington Street | Y | 0 |
| 8 | 28/01/2020 | Carrington Street | Y | 0 |
| 9 | 28/01/2020 | Carrington Street | Y | 0 |
| 10 | 28/01/2020 | Carrington Street | Y | 0 |
| 13 | 28/01/2020 | Carrington Street | Y | 0 |
| 14 | 28/01/2020 | Belmore Street | Y | 0 |
| 15 | 28/01/2020 | Belmore Street | Y | 0 |
| 17 | 28/01/2020 | Belmore Street | Y | 0 |
| 26 | 28/01/2020 | Railway Parade | Y | 0 |
| 29 | 28/01/2020 | Railway Parade | Y | 0 |
| 34 | 28/01/2020 | Railway Parade | Y | 0 |
| 36 | 28/01/2020 | Railway Parade | Y | 0 |
| 39 | 28/01/2020 | Alcorn Street | Y | 0 |
| 41 | 28/01/2020 | Alcorn Street | Y | 0 |
| 48 | 28/01/2020 | Alcorn Street | Y | 0 |
| 57 | 28/01/2020 | Loftus Street | Y | - |
| 58 | 28/01/2020 | Loftus Street | Y | 0 |
| 63 | 28/01/2020 | Loftus Street | Y | 0 |
| 64 | 28/01/2020 | Loftus Street | Y | 0 |
| 67 | 28/01/2020 | Loftus Street | Y | 0 |
| 71 | 28/01/2020 | Loftus Street | Y | 0 |
| 75 | 28/01/2020 | Loftus Street | Y | 0 |
| 77 | 28/01/2020 | Loftus Street | No, key left | 0 |
| 81 | 28/01/2020 | Loftus Street | Y | 0 |
| 86 | 28/01/2020 | Loftus Street | Y | 0 |
| 87 | 28/01/2020 | Loftus Street | Y | 0 |
| 88 | 28/01/2020 | Loftus Street | Y | 0 |
| 89 | 28/01/2020 | Loftus Street | Y | 0 |
| 91 | 28/01/2020 | Loftus Street | Y | - |
| 100 | 28/01/2020 | Moss Vale Road | Y | - |
| 103 | 28/01/2020 | Moss Vale Road | Y | 0 |
| 105 | 28/01/2020 | Moss Vale Road | Y | 0 |
| 106 | 28/01/2020 | Moss Vale Road | Y | 0 |
| 111 | 28/01/2020 | Kiama Street | Y | 0 |
| 113 | 28/01/2020 | Kiama Street | Y | 0 |
| 117 | 28/01/2020 | Kiama Street | Y | 0 |
| 119 | 28/01/2020 | Kiama Street | Y | 0 |
| 120 | 28/01/2020 | Kiama Street | Y | 0 |
| 122 | 28/01/2020 | Kiama Street | Y | 0 |
| 123 | 28/01/2020 | Kiama Street | Y | 0 |

| | | | | |
|-----|------------|--------------|---|---|
| 124 | 28/01/2020 | Kiama Street | Y | 0 |
| 126 | 28/01/2020 | Kiama Street | Y | 0 |
| 129 | 28/01/2020 | Kiama Street | Y | 0 |

-
- 1- ⁱ Samples that were not taken for any premises where the resident/occupier of the premises was absent, or access to the premises was denied at the time of sampling, have been omitted from this document.